

## Fully Automatic Strapping Machine



### Technical Specifications:

Model	Fully Automatic Strapping Machine SP 101 FF
Max. Strap Size (Mm)	800X600
Min. Strap Size (Mm)	80X50
Strapping Speed (Seconds)	2.15
Strap Width (Mm)	9 15
Strap Force (Newton)	25-700
Working Table Height (Mm)	830
Power source (V/Hz)	440/50, 0.1.2 HP
External Dimension (Mm)	1420 x 650 x 1565
Weight (Kg)	260

## Heavy Duty Semi Automatic Strapping Machine



### Technical Specifications:

Model	SP 740H (Deluxe Model) Heavy Duty
Cycle Time	1.5 Sec/Strap
Tension Range	45~45kg
Strap Width	6,9,12,15 Adjustable
Sealing Method	Heating Element
Reel Inside Diameter	200mm
Power Supply	220/501PH
Table Height	780mm
Power Consumption	0.5KW
Layout Dimension	L902 x W575 x H780 mm
Weight	110 Kg

## Battery Powered Pet Strapping Tool



### Technical Specifications

Model	SP 101 BPT
Strap Width (mm)	13-16 adjustable
Strap Thickness (mm)	0.5-1.0
Weight (kg)	3.9
Size (LxWxH) (mm)	375x130x140
Tension (kg)	40-200
Type of Seal	Friction Weld
Battery	Up to 200 cycles with one battery charge

## Offline Strapping Machines



### Technical Specification:

Model	Automatic SP 101F
Max Strap Size (mm)	800 x 600
Min Strap Size (mm)	80 x 50
Strapping Speed (seconds)	2
Strap Width (mm)	9 - 15
Strapping Force	25 - 700
Working Table Height (mm)	830
Power Source (V/Hz)	440/50,0.1.2HP
External Dimensions (mm)	1420 x 650 x 1565
Weight (kg)	235

## Economy Strapping Machine



### Technical Specification :

Model	SP 101 H
Max Strap Size (mm)	Not Stipulated
Min Strap Size (mm)	60 x 30
Strapping Speed (seconds)	1.5
Strap Width (mm)	6 - 15
Strap Force(Newton)	450
Working Table Height (mm)	750
Power Source (V/Hz)	220/50,1/4HP
External Dimensions (mm)	900X580X750
Weight (kg)	90

## Low Table Semi Automatic Strapping Machine



### Technical Specification :

Model	Low table SP 101L
Max Strap Size (mm)	Not Stipulated
Min Strap Size (mm)	60 x 30
Strapping Speed (seconds)	1.5
Strap Width (mm)	6 - 15
Strap Force(Newton)	450
Working Table Height (mm)	500
Power Source (V/Hz)	220/50, 1/4HP
External Dimensions (mm)	900X580X500
Weight (kg)	80

## Pneumatic Pet Strapping Tool



### Technical Specifications:

Model	SP 101 PNT
Strap Width (mm)	13-12 adjustable
Strap Thickness (mm)	1.0-1.5
Weight (kg)	3.8
Size (LxWxH) (mm)	275x115x130
Tension (kg)	200
Type of Seal	Friction Weld
Pressure	5-7 Bar
Strap Material	PET / PP

## Semi Automatic Regular Strapping Machine



### Technical Specification:

Model	SP 306H(Regular Model)
Strap Width	6-15 mm
Speed	1.5 Sec/strap
Power Supply	220/50/1-phase
Power Consumption	0.4 KW
Machine Tension	5-50kgs
Machine Dimension	895mm(l)x565mm(w)x740mm(h)
Weight	90 Kgs



## Semi Automatic Strapping Machine



### Technical Specification :

Model	SP 740H(Delux Model) Heavy Duty
Cycle Time	1.5 sec/strap
Tension range	15~45 kgs
Strap Width	6,9,12,15.5 adjustable
Sealing Method	Heating element
Reel Inside Diameter	200mm
Power Supply	220/50/1PH
Table Height	780mm
Power Consumption	0.5 KW
Layout Dimension	L902 x D575 x H780mm
Weight	110 Kgs